

# NoodleTools, Inc. Accessibility Conformance Report

## International Edition

VPAT® Version 2.5Rev

**Name of Product/Version:** NoodleTools

Report Date: May 2026

**Product Description:** Web-based research platform

**Contact Information:** [damon@noodletools.com](mailto:damon@noodletools.com)

**Notes:** Users may optionally toggle “Enable Full Accessibility” in their NoodleTools user profile to activate full keyboard and screen reader accessibility features.

Evaluation Methods Used: Conformance was evaluated using automated tools (WAVE accessibility checker, Axe via Playwright, KIRO automated compliance analysis) and manual testing with NVDA screen reader on Windows and keyboard-only navigation. Testing covered Sign-In, Project Management, Sources/Citations, Notecards (Tabletop and Detail views), Outline, Inbox, Profile, Attachments, RefIEQ, and To-Do/Comments.

### Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.0</a>	Level A - Yes Level AA - Yes Level AAA - No

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.1</a>	Level A - Yes Level AA - Yes Level AAA - No
<a href="#">Web Content Accessibility Guidelines 2.2</a>	Level A - Yes Level AA - Yes Level AAA - No
<a href="#">Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018</a>	Yes
<a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)</a>	Yes

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

## WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549:

- Clause 9 - Web
- Clauses 10.1-10.4 of Clause 10 - Non-Web documents
- Clauses 11.1-11.4 and 11.8.2 of Clause 11 - Software
- Clauses 12.1.2 and 12.2.4 of Clause 12 - Documentation and support services
- Revised Section 508:
  - Chapter 5 - 501.1 Scope and 504.2 Content Creation or Editing
  - Chapter 6 - 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.1 Conformance Requirements](#).

## Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.1.1 Non-text Content</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.1.1 (Web)</li> <li>● 10.1.1.1 (Non-web document)</li> <li>● 11.1.1.1.1 (Open Functionality Software)</li> <li>● 11.1.1.1.2 (Closed Functionality Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Supports	All non-text content has a text alternative. Analysis charts on the bibliography page are accessible to assistive technology.
<p><b><u>1.2.1 Audio-only and Video-only (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.2.1 (Web)</li> <li>● 10.1.2.1 (Non-web document)</li> <li>● 11.1.2.1.1 (Open Functionality Software)</li> <li>● 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Supports	NoodleTools does not include audio or video prerecorded content by default. Users may choose to include audio/video content in notecards they create in NoodleTools, and in such cases, the interface allows them to include alternative representations (such as text transcripts) that present equivalent information to the content.
<p><b><u>1.2.2 Captions (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p>	Supports	NoodleTools does not include prerecorded content by default. Users may choose to include audio/video

Criteria	Conformance Level	Remarks and Explanations
<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.2.2 (Web)</li> <li>● 10.1.2.2 (Non-web document)</li> <li>● 11.1.2.2 (Open Functionality Software)</li> <li>● 11.1.2.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		<p>content in notecards they create in NoodleTools, and in such cases, the interface allows them to caption the content.</p>
<p><b><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.2.3 (Web)</li> <li>● 10.1.2.3 (Non-web document)</li> <li>● 11.1.2.3.1 (Open Functionality Software)</li> <li>● 11.1.2.3.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Not applicable</p>	<p>NoodleTools does not use synchronized media.</p>
<p><b><u>1.3.1 Info and Relationships</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.3.1 (Web)</li> <li>● 10.1.3.1 (Non-web document)</li> <li>● 11.1.3.1.1 (Open Functionality Software)</li> <li>● 11.1.3.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> </ul>	<p>Supports</p>	<p>Semantic HTML is used throughout the application to convey structure and relationships. Headings use appropriate heading levels, form controls are programmatically associated with their labels, data tables include column and row headers, and list structures are correctly marked up.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		
<p><a href="#">1.3.2 Meaningful Sequence</a> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>● 9.1.3.2 (Web)</li> <li>● 10.1.3.2 (Non-web document)</li> <li>● 11.1.3.2.1 (Open Functionality Software)</li> <li>● 11.1.3.2.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Supports	NoodleTools presents content in a meaningful order within the DOM. In some cases, text is added to clarify how such content should be read.
<p><a href="#">1.3.3 Sensory Characteristics</a> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>● 9.1.3.3 (Web)</li> <li>● 10.1.3.3 (Non-web document)</li> <li>● 11.1.3.3 (Open Functionality Software)</li> <li>● 11.1.3.3 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Supports	When sensory characteristics are used to convey meaning, additional information is also provided in an alternative form. While the Notecard Tabletop view arranges notecards spatially by visual location, the Notecard Detail View provides a complete alternative interface that exposes all of the same operations — including creating, editing, tagging, organizing into piles, and navigating between notecards — without relying on spatial or visual positioning. Because no operation in the Tabletop is exclusively available there, no functionality depends solely on sensory characteristics.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.4.1 Use of Color</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.1 (Web)</li> <li>● 10.1.4.1 (Non-web document)</li> <li>● 11.1.4.1 (Open Functionality Software)</li> <li>● 11.1.4.1 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Supports	Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing visual elements. Color tags are used on the Notecard Tabletop, but text tags can be used as an alternative.
<p><a href="#">1.4.2 Audio Control</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.2 (Web)</li> <li>● 10.1.4.2 (Non-web document)</li> <li>● 11.1.4.2 (Open Functionality Software)</li> <li>● 11.1.4.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Not applicable	NoodleTools does not incorporate audio for any features.
<p><a href="#">2.1.1 Keyboard</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.1.1 (Web)</li> <li>● 10.2.1.1 (Non-web document)</li> <li>● 11.2.1.1.1 (Open Functionality Software)</li> </ul>	Supports	All functionality is operable via keyboard, including Outline context menus and drag-and-drop reordering in the Outline.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 11.2.1.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		
<p><a href="#">2.1.2 No Keyboard Trap</a> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>● 9.2.1.2 (Web)</li> <li>● 10.2.1.2 (Non-web document)</li> <li>● 11.2.1.2 (Open Functionality Software)</li> <li>● 11.2.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Supports	No known keyboard traps.
<p><a href="#">2.1.4 Character Key Shortcuts</a> (Level A 2.1 and 2.2)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>● 9.2.1.4 (Web)</li> <li>● 10.2.1.4 (Non-web document)</li> <li>● 11.2.1.4.1 (Open Functionality Software)</li> <li>● 11.2.1.4.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Not applicable	NoodleTools does not incorporate keyboard shortcuts.
<p><a href="#">2.2.1 Timing Adjustable</a> (Level A)</p>	Not applicable	NoodleTools does not incorporate any timed features

Criteria	Conformance Level	Remarks and Explanations
<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.2.1 (Web)</li> <li>● 10.2.2.1 (Non-web document)</li> <li>● 11.2.2.1 (Open Functionality Software)</li> <li>● 11.2.2.1 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		<p>that require user interaction or adjustment.</p>
<p><b><u>2.2.2 Pause, Stop, Hide</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.2.2 (Web)</li> <li>● 10.2.2.2 (Non-web document)</li> <li>● 11.2.2.2 (Open Functionality Software)</li> <li>● 11.2.2.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p>Partially supports</p>	<p>NoodleTools does not include moving, blinking, scrolling, or auto-updating information that is user-controlled. When two users are working on a collaborative NoodleTools project, they may see informational messages about the activity of the other person, and those messages cannot be paused or controlled by the receiving user.</p>
<p><b><u>2.3.1 Three Flashes or Below Threshold</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.3.1 (Web)</li> <li>● 10.2.3.1 (Non-web document)</li> <li>● 11.2.3.1 (Open Functionality Software)</li> <li>● 11.2.3.1 (Closed Software)</li> </ul>	<p>Supports</p>	<p>NoodleTools does not use flashing interface elements.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		
<p><a href="#">2.4.1 Bypass Blocks</a> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>● 9.2.4.1 (Web)</li> <li>● 10.2.4.1 (Non-web document) – Does not apply</li> <li>● 11.2.4.1 (Open Functionality Software) – Does not apply</li> <li>● 11.2.4.1 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software) – Does not apply to non-web software</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Supports	"Skip to content" type links and links that allow users to jump to the main content of a page are used as needed.
<p><a href="#">2.4.2 Page Titled</a> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>● 9.2.4.2 (Web)</li> <li>● 10.2.4.2 (Non-web document)</li> <li>● 11.2.4.2 (Open Functionality Software) - Does not apply</li> <li>● 11.2.4.2 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> </ul>	Supports	Web pages within the application and the NoodleTools website have descriptive titles that indicate the topic or purpose of each page.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>602.3 (Support Docs)</li> </ul>		
<p><b>2.4.3 Focus Order</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.3 (Web)</li> <li>10.2.4.3 (Non-web document)</li> <li>11.2.4.3 (Open Functionality Software)</li> <li>11.2.4.3 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	No known focus order violations.
<p><b>2.4.4 Link Purpose (In Context)</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.4 (Web)</li> <li>10.2.4.4 (Non-web document)</li> <li>11.2.4.4 (Open Functionality Software)</li> <li>11.2.4.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	All interactive controls have accessible names that allow their purpose to be determined from context by assistive technology.
<p><b>2.5.1 Pointer Gestures</b> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.5.1 (Web)</li> <li>10.2.5.1 (Non-web document)</li> </ul>	Supports	NoodleTools pointer gestures are not path-based (i.e., only the endpoints matter).

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 11.2.5.1 (Open Functionality Software)</li> <li>● 11.2.5.1 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		
<p><b><u>2.5.2 Pointer Cancellation</u></b> (Level A 2.1 and 2.2)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>● 9.2.5.2 (Web)</li> <li>● 10.2.5.2 (Non-web document)</li> <li>● 11.2.5.2 (Open Functionality Software)</li> <li>● 11.2.5.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Supports	The down-event of the pointer in NoodleTools is never used to execute an operation.
<p><b><u>2.5.3 Label in Name</u></b> (Level A 2.1 and 2.2)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>● 9.2.5.3 (Web)</li> <li>● 10.2.5.3 (Non-web document)</li> <li>● 11.2.5.3.1 (Open Functionality Software)</li> <li>● 11.2.5.3.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Supports	For user interface components with labels that include text or images of text, the name contains the text that is presented visually.
<p><b><u>2.5.4 Motion Actuation</u></b> (Level A 2.1 and 2.2)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>● 9.2.5.4 (Web)</li> <li>● 10.2.5.4 (Non-web document)</li> <li>● 11.2.5.4 (Open Functionality Software)</li> </ul>	Not applicable	NoodleTools does not include functionality that can be operated by device motion or user motion.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 11.2.5.4 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		
<p><b>3.1.1 Language of Page</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.3.1.1 (Web)</li> <li>● 10.3.1.1 (Non-web document)</li> <li>● 11.3.1.1.1 (Open Functionality Software)</li> <li>● 11.3.1.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Supports	The default language is specified in the HTTP header of all pages.
<p><b>3.2.1 On Focus</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.3.2.1 (Web)</li> <li>● 10.3.2.1 (Non-web document)</li> <li>● 11.3.2.1 (Open Functionality Software)</li> <li>● 11.3.2.1 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Supports	When a component in the user interface receives focus, it does not initiate a change of context.
<p><b>3.2.2 On Input</b> (Level A)</p>	Supports	Changing the setting of a component in the user

Criteria	Conformance Level	Remarks and Explanations
<p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.3.2.2 (Web)</li> <li>● 10.3.2.2 (Non-web document)</li> <li>● 11.3.2.2 (Open Functionality Software)</li> <li>● 11.3.2.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		interface does not initiate a change of context.
<p><b>3.2.6 Consistent Help</b> (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Supports	Support is provided through the FreshDesk online help ticket system with a single, consistent interface.
<p><b>3.3.1 Error Identification</b> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.3.3.1 (Web)</li> <li>● 10.3.3.1 (Non-web document)</li> <li>● 11.3.3.1.1 (Open Functionality Software)</li> <li>● 11.3.3.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Supports	Validation errors are announced by assistive technology throughout the application. Focus moves to the first invalid field on form validation failure.
<p><b>3.3.2 Labels or Instructions</b> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.3.3.2 (Web)</li> </ul>	Supports	All form controls are announced with their labels by assistive technology.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 10.3.3.2 (Non-web document)</li> <li>● 11.3.3.2 (Open Functionality Software)</li> <li>● 11.3.3.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		
<p><b><u>3.3.7 Redundant Entry</u></b> (Level A 2.2 only)            EN 301 549 Criteria – Does not apply            Revised Section 508 – Does not apply</p>	Supports	Comment database allows a teacher to define a list of help responses that they can reuse to provide feedback to students. For all users, any field that can be filled based on previous data (e.g., the user’s name, when sharing a project) is auto-populated to avoid redundant entry.
<p><b><u>4.1.1 Parsing</u></b> (Level A)            Applies to:            WCAG 2.0 and 2.1 – Always answer ‘Supports’            WCAG 2.2 (obsolete and removed) - Does not apply            EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.4.1.1 (Web)</li> <li>● 10.4.1.1 (Non-web document)</li> <li>● 11.4.1.1.1 (Open Functionality Software)</li> <li>● 11.4.1.1.2 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Supports	For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the <a href="#">WCAG 2.0 Editorial Errata</a> and the <a href="#">WCAG 2.1 Editorial Errata</a> .
<p><b><u>4.1.2 Name, Role, Value</u></b> (Level A)            Also applies to:</p>	Supports	For all user interface components, name, role, and value can be programmatically determined and are

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria <ul style="list-style-type: none"> <li>● 9.4.1.2 (Web)</li> <li>● 10.4.1.2 (Non-web document)</li> <li>● 11.4.1.2.1 (Open Functionality Software)</li> <li>● 11.4.1.2.2 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		compatible with assistive technologies.

**Table 2: Success Criteria, Level AA**

Notes:

Criteria	Conformance Level	Remarks and Explanations
<a href="#">1.2.4 Captions (Live)</a> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>● 9.1.2.4 (Web)</li> <li>● 10.1.2.4 (Non-web document)</li> <li>● 11.1.2.4 (Open Functionality Software)</li> <li>● 11.1.2.4 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Not applicable	NoodleTools does not use synchronized media.
<a href="#">1.2.5 Audio Description (Prerecorded)</a> (Level AA)	Not applicable	NoodleTools does not use synchronized media.

Criteria	Conformance Level	Remarks and Explanations
<p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.2.5 (Web)</li> <li>● 10.1.2.5 (Non-web document)</li> <li>● 11.1.2.5 (Open Functionality Software)</li> <li>● 11.1.2.5 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		
<p><b>1.3.4 Orientation</b> (Level AA 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.3.4 (Web)</li> <li>● 10.1.3.4 (Non-web document)</li> <li>● 11.1.3.4 (Open Functionality Software)</li> <li>● 11.1.3.4 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Partially supports	On a cell phone or tablet, NoodleTools requires the user to operate in Landscape mode, as that is essential on a small device to provide a usable workspace.
<p><b>1.3.5 Identify Input Purpose</b> (Level AA 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.3.5 (Web)</li> <li>● 10.1.3.5 (Non-web document)</li> <li>● 11.1.3.5.1 (Open Functionality Software)</li> <li>● 11.1.3.5.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul>	Supports	

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply		
<p><b><u>1.4.3 Contrast (Minimum)</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.3 (Web)</li> <li>● 10.1.4.3 (Non-web document)</li> <li>● 11.1.4.3 (Open Functionality Software)</li> <li>● 11.1.4.3 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Supports	Minimum contrast ratios are maintained throughout the NoodleTools application for text and images of text.
<p><b><u>1.4.4 Resize text</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.4 (Web)</li> <li>● 10.1.4.4 (Non-web document)</li> <li>● 11.1.4.4.1 (Open Functionality Software)</li> <li>● 11.1.4.4.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Supports	NoodleTools supports standard zoom capabilities built into modern web browsers and operating systems. Text can be resized without assistive technology up to 200 percent without loss of content or functionality.
<p><b><u>1.4.5 Images of Text</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.5 (Web)</li> <li>● 10.1.4.5 (Non-web document)</li> </ul>	Supports	NoodleTools uses text to convey information rather than images of text.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 11.1.4.5.1 (Open Functionality Software)</li> <li>● 11.1.4.5.2 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		
<p><a href="#">1.4.10 Reflow</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.10 (Web)</li> <li>● 10.1.4.10 (Non-web document)</li> <li>● 11.1.4.10 (Open Functionality Software)</li> <li>● 11.1.4.10 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Supports	Content reflows at up to 400% zoom without loss of content or functionality. The Notecard Tabletop view uses a spatial canvas that requires two-dimensional scrolling; the Notecard Detail View provides a complete alternative for all Tabletop operations without requiring two-dimensional scrolling.
<p><a href="#">1.4.11 Non-text Contrast</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.11 (Web)</li> <li>● 10.1.4.11 (Non-web document)</li> <li>● 11.1.4.11 (Open Functionality Software)</li> <li>● 11.1.4.11 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Supports	NoodleTools maintains a contrast ratio of at least 3:1 for visual presentation of UI and graphical elements.
<p><a href="#">1.4.12 Text Spacing</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Supports	No loss of content of functionality occurs by setting line height (1.5x font size), spacing (2x font size), letter spacing (.12x font size) or word spacing (.16x font size).

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 9.1.4.12 (Web)</li> <li>● 10.1.4.12 (Non-web document)</li> <li>● 11.1.4.12 (Open Functionality Software)</li> <li>● 11.1.4.12 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>		
<p><a href="#">1.4.13 Content on Hover or Focus</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.13 (Web)</li> <li>● 10.1.4.13 (Non-web document)</li> <li>● 11.1.4.13 (Open Functionality Software)</li> <li>● 11.1.4.13 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Supports	The only content that appears on hover are text tooltips, which are informational-only (not essential to operation) and do not interfere with the user’s ability to do any task on that screen.
<p><a href="#">2.4.5 Multiple Ways</a> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.4.5 (Web)</li> <li>● 10.2.4.5 (Non-web document) – Does not apply</li> <li>● 11.2.4.5 (Open Functionality Software) – Does not apply</li> <li>● 11.2.4.5 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software) – Does not apply to non-web software</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Supports	NoodleTools provides persistent navigation to all functional areas from any location within the application. Users can reach any section (Sources, Notecards, Outline, Inbox, Profile) directly from the sidebar navigation without needing a search mechanism or sitemap.
<p><a href="#">2.4.6 Headings and Labels</a> (Level AA)</p>	Supports	NoodleTools uses semantically-correct markup for all

Criteria	Conformance Level	Remarks and Explanations
<p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.4.6 (Web)</li> <li>● 10.2.4.6 (Non-web document)</li> <li>● 11.2.4.6 (Open Functionality Software)</li> <li>● 11.2.4.6 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		interface elements, including headings and labels.
<p><b>2.4.7 Focus Visible</b> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.4.7 (Web)</li> <li>● 10.2.4.7 (Non-web document)</li> <li>● 11.2.4.7 (Open Functionality Software)</li> <li>● 11.2.4.7 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Supports	No known focus visibility issues.
<p><b>2.4.11 Focus Not Obscured (Minimum)</b> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Supports	UI components are never obscured by author-created content.
<p><b>2.5.7 Dragging Movements</b> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Supports	All drag operations can be achieved by a single pointer without dragging.
<p><b>2.5.8 Target Size (Minimum)</b> (Level AA 2.2 only)</p>	Supports	All drag targets are 24x24 CSS pixels or larger.

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply		
<b><u>3.1.2 Language of Parts</u></b> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>● 9.3.1.2 (Web)</li> <li>● 10.3.1.2 (Non-web document)</li> <li>● 11.3.1.2 (Open Functionality Software) – Does not apply</li> <li>● 11.3.1.2 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Supports	All text in the user interface is displayed in the default language of the page.
<b><u>3.2.3 Consistent Navigation</u></b> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>● 9.3.2.3 (Web)</li> <li>● 10.3.2.3 (Non-web document) – Does not apply</li> <li>● 11.3.2.3 (Open Functionality Software) – Does not apply</li> <li>● 11.3.2.3 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software) – Does not apply to non-web software</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Supports	NoodleTools offers a consistent navigation order across the site.
<b><u>3.2.4 Consistent Identification</u></b> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>● 9.3.2.4 (Web)</li> </ul>	Supports	Controls with similar functions work consistently across the site, and the main navigation buttons are visible and consistent on all pages.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 10.3.2.4 (Non-web document) – Does not apply</li> <li>● 11.3.2.4 (Open Functionality Software) – Does not apply</li> <li>● 11.3.2.4 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software) – Does not apply to non-web software</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		
<p><b>3.3.3 Error Suggestion</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.3.3.3 (Web)</li> <li>● 10.3.3.3 (Non-web document)</li> <li>● 11.3.3.3 (Open Functionality Software)</li> <li>● 11.3.3.3 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	Supports	When possible, errors are automatically detected, and users are informed of these errors in an accessible manner.
<p><b>3.3.4 Error Prevention (Legal, Financial, Data)</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.3.3.4 (Web)</li> <li>● 10.3.3.4 (Non-web document)</li> <li>● 11.3.3.4 (Open Functionality Software)</li> <li>● 11.3.3.4 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul>	Supports	Before performing irreversible or potentially serious actions, users are presented with a confirmation box, to ensure that they truly wish to perform the requested action.

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		
<b><a href="#">3.3.8 Accessible Authentication (Minimum)</a></b> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	Password managers are supported for password entry. No other cognitive function tests are required for login or usage.
<b><a href="#">4.1.3 Status Messages</a></b> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>● 9.4.1.3 (Web)</li> <li>● 10.4.1.3 (Non-web document)</li> <li>● 11.4.1.3 (Open Functionality Software)</li> <li>● 11.4.1.3 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Supports	Dynamic status messages are announced by assistive technology throughout the application, including attachment uploads, share URL popups, citation form validation, and inbox operations.

### Table 3: Success Criteria, Level AAA

Notes: NoodleTools has not been evaluated for WCAG 2.0/2.1 Level AAA conformance.

## Revised Section 508 Report

Notes:

### Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Supports	All content and functionality is accessible without vision.
302.2 With Limited Vision	Supports	All content and functionality is accessible with limited vision. Content reflows without loss of functionality at 400% zoom.
302.3 Without Perception of Color	Supports	Color is only used as a decorative or supplemental attribute of user interface elements. A textual representation is always used as the primary mechanism for conveying information.
302.4 Without Hearing	Supports	NoodleTools does not include audio-only features that require hearing to be used.
302.5 With Limited Hearing	Supports	NoodleTools does not include audio-only features that require hearing to be used.
302.6 Without Speech	Supports	NoodleTools does not require speech input.
302.7 With Limited Manipulation	Supports	NoodleTools supports standard input mechanisms such as user-provided keyboards and pointing devices. Usage of the product does not require fine motor controls nor simultaneous actions.
302.8 With Limited Reach and Strength	Supports	NoodleTools does not incorporate any functionality requiring reach or strength.
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	NoodleTools incorporates a “Starter” project level option that can be helpful for some students (ESL, etc).

## Chapter 4: [Hardware](#)

Notes: NoodleTools is a web-based application and is not subject to the requirements of this section.

## Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See <a href="#">WCAG 2.x</a> section	See information in WCAG 2.x section
<b><a href="#">502 Interoperability with Assistive Technology</a></b>	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not applicable	NoodleTools is not considered platform software as defined by Section 508.
502.2.2 No Disruption of Accessibility Features	Supports	NoodleTools is compatible with operating system and browser accessibility features configured by the user.
<b>502.3 Accessibility Services</b>	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Supports	Provided by the browser.
502.3.2 Modification of Object Information	Supports	
502.3.3 Row, Column, and Headers	Supports	NoodleTools uses standard HTML attributes to define table structure and relationships, including column headers, to Assistive Technologies.
502.3.4 Values	Supports	NoodleTools uses standard HTML attributes that are compatible with assistive technologies.
502.3.5 Modification of Values	Supports	NoodleTools uses standard HTML attributes that are compatible with assistive technologies.
502.3.6 Label Relationships	Supports	NoodleTools uses standard HTML attributes to describe label relationships of UI elements (e.g., “<label>”).
502.3.7 Hierarchical Relationships	Supports	NoodleTools uses standard HTML markup to express hierarchical relationships.
502.3.8 Text	Supports	Strings are rendered as plain text values to ensure compatibility with assistive technologies.
502.3.9 Modification of Text	Supports	Strings are rendered as plain text values to ensure compatibility with assistive

Criteria	Conformance Level	Remarks and Explanations
		technologies.
502.3.10 List of Actions	Supports	NoodleTools uses standard HTML attributes that are compatible with assistive technologies.
502.3.11 Actions on Objects	Supports	NoodleTools uses standard HTML attributes that are compatible with assistive technologies.
502.3.12 Focus Cursor	Supports	NoodleTools uses visual cues on elements to indicate current focus.
502.3.13 Modification of Focus Cursor	Supports	NoodleTools uses standard HTML elements with cursor controls for user input.
502.3.14 Event Notification	Supports	
502.4 Platform Accessibility Features	Not applicable	NoodleTools is not considered platform software as defined by Section 508.
<b><u>503 Applications</u></b>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Supports	NoodleTools respects user preferences like high contrast mode from browser and OS settings.
503.3 Alternative User Interfaces	Not applicable	NoodleTools does not provide any alternative user interfaces.
<b><i>503.4 User Controls for Captions and Audio Description</i></b>	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not applicable	NoodleTools does not include audio or video content that require captions or descriptions.
503.4.2 Audio Description Controls	Not applicable	NoodleTools does not include audio or video content that require captions or descriptions.
<b><u>504 Authoring Tools</u></b>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See <a href="#">WCAG 2.x</a> section	See information in WCAG 2.x section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Supports	NoodleTools exports bibliography, notecard, and outline content to Word

Criteria	Conformance Level	Remarks and Explanations
		(.docx) and RTF formats. These exports preserve structural information including headings and paragraph styles from the source content.
504.2.2 PDF Export	Not applicable	
504.3 Prompts	Not applicable	
504.4 Templates	Not applicable	

## Chapter 6: [Support Documentation and Services](#)

Notes: NoodleTools online help is hosted on the FreshDesk customer support platform. Please refer to the Freshworks/FreshDesk Voluntary Product Accessibility Template (October 2025) for the accessibility conformance of NoodleTools support documentation. The Freshworks VPAT is available upon request from [damon@noodletools.com](mailto:damon@noodletools.com).

# EN 301 549 Report

Notes:

## Clause [4: Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Supports	All content and functionality is accessible without vision.
4.2.2 Usage with limited vision	Supports	All content and functionality is accessible with limited vision. Content reflows without loss of functionality at 400% zoom.
4.2.3 Usage without perception of colour	Supports	Color is only used as a decorative or supplemental attribute of user interface elements. A textual representation is always used as the primary mechanism for conveying information.
4.2.4 Usage without hearing	Supports	NoodleTools does not include audio-only features that require hearing to be used.
4.2.5 Usage with limited hearing	Supports	NoodleTools does not include audio-only features that require hearing to be used.
4.2.6 Usage with no or limited vocal capability	Supports	NoodleTools does not require speech input.
4.2.7 Usage with limited manipulation or strength	Supports	NoodleTools supports standard input mechanisms such as user-provided keyboards and pointing devices. Usage of the product does not require fine motor controls nor simultaneous actions.
4.2.8 Usage with limited reach	Supports	
4.2.9 Minimize photosensitive seizure triggers	Supports	NoodleTools does not include visual features with flashing that could trigger

		seizures
4.2.10 Usage with limited cognition, language or learning	Supports	NoodleTools offers a “Starter” project option that simplifies text prompts, reduces the complexity of the citation forms, and provides additional help and prompts.
4.2.11 Privacy	Supports	NoodleTools does not impede usage of standard privacy controls alongside assistive technologies. For example, users can connect a headset for private listening to screen reader announcements.

## Clause [5: Generic Requirements](#)

Notes: NoodleTools supports standard assistive technologies where possible and is not subject to the Closed Functionality criteria.

## Clause [6: ICT with Two-Way Voice Communication](#)

Notes: NoodleTools does not offer two-way voice communication.

## Clause [7: ICT with Video Capabilities](#)

Notes: NoodleTools does not include video content.

## Clause [8: Hardware](#)

Notes: NoodleTools is a web-based application.

## Clause [9: Web](#) (see [WCAG 2.x section](#))

Notes:

## Clause [10: Non-Web Documents](#)

Notes: NoodleTools exports bibliography, notecard, and outline content to Word (.docx), RTF, and Google Docs formats, preserving document structure including headings and paragraph styles. Exported documents may not include alt text for images inserted into notecards, as the authoring tool does not provide an alt text input field (see Criterion 11.8.2). No PDF export is provided.

## Clause [11: Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b>11.0 General (informative)</b>	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See <a href="#">WCAG 2.x</a> section	See information in WCAG 2.x section
<b>11.5 Interoperability with assistive technology</b>	Heading cell – no response required	Heading cell – no response required
<b>11.5.1 Closed functionality</b>	Heading cell – no response required	Heading cell – no response required
<b>11.5.2 Accessibility services</b>	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not applicable	
11.5.2.5 Object information	Supports	Provided by the browser.
11.5.2.6 Row, column, and headers	Supports	NoodleTools uses standard HTML attributes to define table structure and relationships, including column headers, to Assistive Technologies.
11.5.2.7 Values	Supports	NoodleTools uses standard HTML attributes that are compatible with assistive technologies.
11.5.2.8 Label relationships	Supports	NoodleTools uses standard HTML attributes to describe label relationships

Criteria	Conformance Level	Remarks and Explanations
		of UI elements (e.g., "<label>").
11.5.2.9 Parent-child relationships	Supports	
11.5.2.10 Text	Supports	
11.5.2.11 List of available actions	Supports	
11.5.2.12 Execution of available actions	Supports	
11.5.2.13 Tracking of focus and selection attributes	Supports	
11.5.2.14 Modification of focus and selection attributes	Supports	
11.5.2.15 Change notification	Supports	
11.5.2.16 Modifications of states and properties	Supports	
11.5.2.17 Modifications of values and text	Supports	
<b>11.6 Documented accessibility usage</b>	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not applicable	
11.6.2 No disruption of accessibility features	Supports	
11.7 User preferences	Supports	
<b>11.8 Authoring tools</b>	Heading cell – no response required	Heading cell – no response required
<b>11.8.1 Content technology</b>	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	Supports	
11.8.3 Preservation of accessibility information in transformations	Not applicable	
11.8.4 Repair assistance	Not applicable	
11.8.5 Templates	Not applicable	

## Clause [12: Documentation and Support Services](#)

Notes: NoodleTools support documentation is provided via the FreshDesk platform. Please refer to the Freshworks/FreshDesk VPAT (October 2025) for the accessibility conformance of the documentation and support services. The Freshworks VPAT is available upon request from [damon@noodletools.com](mailto:damon@noodletools.com).

## Clause [13: ICT Providing Relay or Emergency Service Access](#)

Notes: This section does not apply to the NoodleTools platform.

